



2026

Address: Longxishunjin Glg 1-105, Jianshou Road, Liuyang Industrial Park, Changsha, Hunan, China 410300
Mobile: +86 18173135020 Tel: +86-137-87209092 / 731-82806590 Fax: +86-731-82806580
Website: www.spikedroller.com Email: info@spikedroller.com; siekabin@gmail.com

• Epoxy Coating Tools

Spiked Roller Stainless handle

Used to prevent unevenness when coating; to release the gas bubble on freshly applied floor coatings.

	Item No.	Size	Remark
	D809A	10in x 11mm	no splash guard
	D806A	10in x 13mm	no splash guard
	D820A	10in x 20mm	no splash guard
	D803B	10in x 28mm	no splash guard
	D835B	10in x 35mm	no splash guard
	D840B	10in x 40mm	no splash guard
	D803N	18in x 28mm	no splash guard
	D806N	18in x 13mm	no splash guard
	D809B	20in x 11mm	no splash guard
	D806B	20in x 13mm	no splash guard
	D820B	20in x 20mm	no splash guard
	D803C	20in x 28mm	no splash guard
	D835C	20in x 35mm	no splash guard
	D840C	20in x 40mm	no splash guard
	D803D	32in x28mm	no splash guard
	D820-1	250x11mm	with splash guard
	D820-2	250x21mm	with splash guard
	D820-3	250x31mm	with splash guard
	D820-4	500x11mm	with splash guard
	D820-5	500x21mm	with splash guard
	D820-6	500x31mm	with splash guard
	D820-10	500x50mm	with splash guard(steel
	D820-7	750x11mm	with splash guard
	D820-8	750x21mm	with splash guard
	D820-9	750x31mm	with splash guard
	D820-11	750x50mm	with splash guard(steel

Spiked Roller ajustable frame



Item No.	Size
D809F	20in x 11mm
Aluminum threaded yoke frame, length ajustable	

Remark



L1109	300-550mm
-------	-----------

aluminum frame,length adjustable

Spiked Roller Single Handle

To release the air bubble on freshly epoxy screed flooring, as well as assisting leveling process.



Item No.	Size
D809E	4in x 11mm
D806E	4in x 13mm
D803G	4in x 28mm
D809D	7in x 11mm
D806D	7in x 13mm
D803F	7in x 28mm
D809C	9in x 11mm
D806C	9in x 13mm
D803E	9in x 28mm
D835E	9in x 35mm
D840E	9in x 40mm

Remark

single side handle
single side handle
single side handle
single side handle
single side handle
single side handle
single side handle
single side handle
single side handle
single side handle
single side handle
single side handle

Spiked Roller -round tip end

To release the air bubble on freshly epoxy screed flooring, as well as assisting leveling process.



Item No.	Size
D815E	4in x 11mm
D815D	7in x 11mm
D815C	9in x 11mm
D815A	10in x 11mm
D815B	20in x 11mm

Remark

single side handle,Spikes with round tip end
single side handle,Spikes with round tip end
single side handle,Spikes with round tip end
two-side handle,Spikes with round tip end
two-side handle,Spikes with round tip end

Stainless Steel Spiked Roller

Stainless steel tined, long lasting.



Hot

D821-1	180x13mm
D821-2	180x19mm
D821-3	180x26mm
D821-4	250x13mm

D821-5	250x19mm
--------	----------

D821-6	250x26mm
--------	----------

D822-1	250x13mm
--------	----------

D822-2	250x19mm
--------	----------

D822-3	250x26mm
--------	----------

D822-4	500x13mm
--------	----------

D822-5	500x19mm
--------	----------

D822-6	500x26mm
--------	----------

D822-7	750x13mm
--------	----------

D822-8	750x19mm
--------	----------

D822-9	750x26mm
--------	----------



Hot

Spiked Shoes

Spikes allow walking on wet coatings like epoxy, chemical resins or acrylic fresh coating without leaving footprints.



Item No.	Size	Remark
D290	290mm x 26mm	spiked shoes, PP(nylon optional)
D290-1	spikes height 40mm	spiked shoes
D290-2	290mm x 26mm	spiked shoes, NYLON
D290S	55cm/pc x 4pcs	Straps replacement
D290A	26mm	spare spikes
D290B	40mm	spare spikes



D290Z	290mm x 26mm	spiks assembled PP(nylon optional)
-------	--------------	------------------------------------



D291	290mm x 26mm	Plastic buckle
------	--------------	----------------



D291Z	290mm x 26mm	Plastic buckle, spikes and belt assembled.
-------	--------------	--



D292	290mm x 26mm	Steel buckle
------	--------------	--------------



D293	290mm x 26mm	Steel buckle
------	--------------	--------------



D294

290mm x 26mm

Velcro belt

ABS Spiked Shoe

Spikes allow walking on wet coatings like epoxy, chemical resins or acrylic fresh coating without leaving footprints.



Item No.
D250

Size

Remark
Abs

Metal Spiked Shoe

Spikes allow walking on wet coatings like epoxy, chemical resins or acrylic fresh coating without leaving footprints.

Item No.
D240

Size

Remark
Metal plate

Epoxy Coatings Rubber Spiked Shoe

Spikes allow walking on wet coatings like epoxy, chemical resins or acrylic fresh coating without leaving footprints.



Item No.
D266-M
D266-L
D266-XL

Size
inner size: 28.5x12x8.5cm, nail height 2cm
inner size: 32 x 13.5 x 8cm, nail height 2cm
inner size: 32 x 14 x 8cm, nail height 2cm



Spiked Shoes



New

D267

flexible ABS

Spiked Shoes



D268	spikes height 57mm	leather+plastic
------	--------------------	-----------------

Metal Spike Sandals



D269

Spiked Shoes, Flexible Rubber

Spikes allow walking on wet coatings like epoxy,chemical resins or acrylic fresh coating without leaving footprints.



New

Item No.	Size	Remark
D270	290mm x 26mm	spiked shoes,Flexible Rubber

Aluminum Shoes



D280	aluminum shoes	33x19.5cm
------	----------------	-----------





D280-1	ABS shoes,33x19.5cm
--------	---------------------

Notched Squeegee

To spread the epoxy resin over the base so that an even thickness is achieved.



item No.	Size	Remark
82903	length=56cm	body only, ABS
82903A	R1,sqr=3mm	blade replacement
82905A	R2, sqr=5mm	blade replacement
82908A	R3, sqr=8mm	blade replacement
82935A	R1(3mm) +R 2 (5mm)	




82903M
82903A
82905A
82908A

length=56cm
R1,sqr=3mm
R2, sqr=5mm
R3, sqr=8mm

body only, ABS
blade replacement
blade replacement
blade replacement

Notched Squeegee with Gauge

To spread the epoxy resin over the base so that an even thickness is achieved.



item No.
82904(82901-1)

82903A
82905A
82908A


Size

length=56cm
R1,sqr=3mm
R2, sqr=5mm
R3, sqr=8mm

Remark
body only with gauge,
aluminum
blade replacement
blade replacement
blade replacement

Notched Squeegee Aluminum

To spread the epoxy resin over the base so that an even thickness is achieved.



item No.

82905

82903A
82905A
82908A


Size

length=56cm
R1,sqr=3mm
R2, sqr=5mm
R3, sqr=8mm

Remark
body only with gauge,
aluminum
blade replacement
blade replacement
blade replacement

Serrated Squeegee

To spread the epoxy resin over the base so that an even thickness is achieved.



item No.

83002

830021A
830022A
830023A
830025A
830028A

Size

RV1,V=1mm
RV2,V=2mm
RV3,V=3mm
RV4,V=5mm
RV5,V=8mm

Remark
body only, push in handle
adaptor
blade replacement
blade replacement
blade replacement
blade replacement
blade replacement

Serrated Squeegee

To spread the epoxy resin over the base so that an even thickness is achieved.



New

item No.

83002-2

83002-21A
83002-22A
83002-23A
83002-25A
83002-28A

Size

RV1,V=1mm
RV2,V=2mm
RV3,V=3mm
RV4,V=5mm
RV5,V=8mm

Remark
body only, push in handle
adaptor,[can zoom out](#)
blade replacement
blade replacement
blade replacement
blade replacement
blade replacement

Serrated Squeegee

To spread the epoxy resin over the base so that an even thickness is achieved.



New

item No.

83003

830031A
830032A
830033A
830035A
830038A

Size

RV1,V=1mm
RV2,V=2mm
RV3,V=3mm
RV4,V=5mm
RV5,V=8mm

Remark
body only,[inner thread handle](#)
[adaptor](#)
blade replacement
blade replacement
blade replacement
blade replacement
blade replacement

Floor Dust Scraper

To spread the epoxy resin over flooring.





83004-1
83004-2

460mm, 18inches
600mm, 24inches

with inner handle adaptor
with inner handle adaptor

Floor Dust Scraper

To get the dust together after machine grinding.



83005

size=120cm

Double Edged Tooth Rake

For self leveling floor to settled thickness length=60cm

are for spreading new floor coatings to a desired thickness. Used to spread scattercoat resins spread material to 40% of tooth depth based on the material used (i.e. 5mm tooth achieves 2mm)



Item No.

Size

Remark

83102

V=2mm

83103

V=3mm

83104

V=4mm

83105

V=5mm

83106

V=6mm

83107

V=7mm

83108

V=8mm

83124

One side V=2mm, one
side V=4mm

83103A

V=3mm

blade replacement

83104A

V=4mm

blade replacement

83105A

V=5mm

blade replacement

83106A

V=6mm

blade replacement

83107A

V=7mm

blade replacement

Double Edged Tooth Rake

For self leveling floor to settled thickness length=60cm



Item No.

Size

Remark

83203

Sqr=3mm

83204

Sqr=4mm

83205

Sqr=5mm

83206

Sqr=6mm

83207

Sqr=7mm

83203A

Sqr=3mm

blade replacement

83204A

Sqr=4mm

blade replacement

83205A

Sqr=5mm

blade replacement

83206A

Sqr=6mm

blade replacement

83207A

Sqr=7mm

blade replacement

Heavy Duty Edge Rake Squeegee (V shape teeth)

for Cement Self Levelling



Item No.

Size

Remark

D9803

V=3mm

D9804

V=4mm

D9805

V=5mm

D9806

V=6mm

D9807

V=7mm

Heavy Duty Edge Rake Squeegee (U shape teeth) for Cement Self Levelling



Item No.	Size	Remark
D98103	Sqr=3mm	
D98104	Sqr=4mm	
D98105	Sqr=5mm	
D98106	Sqr=6mm	
D98107	Sqr=7mm	

Pin Leveller Adjustable-Steel Handle Adaptor

Adjustable pin Levelers spread flooring overlay compounds in one easy application.
Ideal for thick layers of screed or screed with fibers having good flow. Pin height can be adjusted from 0mm~10mm.



Item No.	Size	Remark
802-1S	Length=600mm	Pin height adjustable 0-10mm
802-2S	Length=800mm	Pin height adjustable 0-10mm

Pin Leveller Adjustable - Aluminum Handle Adaptor

Adjustable pin Levelers spread flooring overlay compounds in one easy application.
Ideal for thick layers of screed or screed with fibers having good flow. Pin height can be adjusted from 0mm~10mm.



Item No.	Size	Remark
802-1A	Length=600mm	Pin height adjustable 0-10mm
802-2A	Length=800mm	Pin height adjustable 0-10mm

Gauge rake

Apply for cement-based toppings or overlays,with adjustable sled to work for coating in different thickness.



Item No.	Size	Remark
832	Length=800mm	Stainless Steel, heavy duty, Wire sled height adjustable 6-30mm

Gauge Rake Leveler

It is s used to apply self-leveling floor coatings and lower viscosity materials.



Item No.	Size	Remark
844	Length=600mm	sled height adjustable 6-30mm

Gauge Rake T Rake



Item No.	Size	Remark
844-1	Length=600mm	aluminum, sled height adjustable 6-30mm Aluminum, light weight adjustable 6-30mm

Soft Rubber Trowel

Soft rubber blade, handle adaptor thread dia 20mm



Hot

Item No.	Size	Remark
RSL30-18	Length=18cm	soft rubber blade
RSL30-25	Length=25cm	soft rubber blade
RSL30-36	Length=36cm	soft rubber blade
RSL30-50	length=50cm	soft rubber blade
RSL30-60	length=60cm	soft rubber blade
RSL30-80	length=80cm	soft rubber blade

Soft Rubber Trowel-Handle Adaptor Locate In The Upside

Soft rubber blade, handle adaptor thread dia 20mm




Hot

Item No.	Size	Remark
RSL30-18F	Length=18cm	soft rubber blade
RSL30-25F	Length=25cm	soft rubber blade
RSL30-36F	Length=36cm	soft rubber blade
RSL30-50F	length=50cm	soft rubber blade
RSL30-60F	length=60cm	soft rubber blade
RSL30-80F	length=80cm	soft rubber blade


Light Weight Notched Floor Squeegee

Tough plastic with rubber blade. Polycarbonate threaded adaptor fits any handle or extension pole
Teeth available 1/8"(3.2mm), or 3/16"(5.4mm)



Hot

RSL29-20	size=20cm
RSL29-40	size=40cm
RSL29-50	size=50cm
RSL29-60	size=60cm
RSL29-60-1	size=60cm round V=1mm
RSL29-60-2	size=60cm V=2mm
RSL29-60-3	size=60cm V=3mm
RSL29-60-4	size=60cm V=4mm
RSL29-60-5	size=60cm V=5mm
RSL29-60-6	size=60cm V=6mm
RSL29-60-6.5	size=60cm V=6.5mm
RSL29-60-9	size=60cm V=9mm



Light Weight Floor Flat Squeegee

Tough plastic with rubber blade. Polycarbonate threaded adaptor fits any handle or extension pole
Flat blade.



Hot

RSL29-20Y	size=20cm
RSL29-40Y	size=40cm
RSL29-50Y	size=50cm
RSL29-60Y	size=60cm

Speed Squeegee

with inner thread pole connection

New



RSL26-46	flat soft, length=18"/46cm
RSL26-60	flat soft, length=24"/60cm
RSL27-46	flat hard, length=18"/46cm
RSL27-60	flat hard, length=24"/60cm
RSL28-46-1	length=18"/46cm, V=5-7 mils
RSL28-46-2	length=18"/46cm, V=8-12 mils
RSL28-46-3	length=18"/46cm, V=15-20 mils
RSL28-46-4	length=18"/46cm, V=25-30 mils
RSL28-46-5	length=18"/46cm, V=40-50 mils
RSL28-46-6	length=18"/46cm, V=50-60 mils
RSL28-60-1	length=24"/60cm, V=5-7 mils
RSL28-60-2	length=24"/60cm, V=8-12 mils
RSL28-60-3	length=24"/60cm, V=15-20 mils
RSL28-60-4	length=24"/60cm, V=25-30 mils
RSL28-60-5	length=24"/60cm, V=40-50 mils
RSL28-60-6	length=24"/60cm, V=50-60 mils

Rubber Floor Squeegee

These rubber squeegees are used for cleaning or moving liquid/solid waste. Metal frame, blade replaceable, straight or curved. Bracket adaptor can be inner threaded or non-threaded. Blade replaceable.



Item No.	Size	Remark
83418	Length=18in	straight



Floor Squeegee

Fashion silicone blade.



Item No.
82846

Size
Length=18"/46cm

Remark
complete a body

Floor Squeegee

Fashion silicone blade, pole adaptor rotatable.



New

Item No.
82946

Size
Length=18"/46cm

Remark
complete a body

Floor Broom

Fashion silicone blade.



New

Item No.
83046


Size
Length=18"/46cm

Remark
complete a body

Serrated (V-notched) Gray EPDM Rubber Squeegee

Recommended for use with polyurethane coatings, epoxies, floor coatings etc.

Flexible EPDM blade with serrated edge allow optimal flexibility and control of material deposit through pressure, angle and options of notches



Hot

Item No.
83324-3
83324-5

Size
Length=24in/60cm
Length=24in/60cm

Remark
V=1/8" (3mm)
V=5mm

Straight Rubber Squeegee

Rubber blade is good to uneven surfaces and does not leave marks on the floor.

This squeegee is ideal for smooth surfaces, such as concrete



Item No.
83524
83536

Size
Length=24in/60cm
Length=36in/90cm

Remark
flat
flat



83524-1

Length=24in/60cm

Curved Rubber Squeegee

Rubber blade, remove water and other liquids from surfaces



Item No.
83624
83636

Size
Length=24in/60cm
Length=36in/90cm

Remark
flat

Curved Notched Squeegee

Serrated Edge is used to apply epoxy V teeth=1/8" (3mm)



Item No.	Size	Remark
83824-3	Length=24in/60cm	V=3mm
83824-5	Length=24in/60cm	V=5mm

Notched Squeegee

Serrated Edge is used to apply armorUltra SQR teeth=1/8" (3mm)



Item No.	Size	Remark
83924	Length=24in/60cm	Sqr=3mm

PU Sport(tennis) Field Squeegee

Flat squeegee, aluminum frame, resistant for propionic acid, application: Tennis Field etc.



Item No.	Size	Remark
84032	32inch 80cm	
84036	36inch 90cm	
84048	48inch 120cm	
84032A	32inch 80cm	blade replacement
84036A	36inch 90cm	blade replacement
84048A	48inch 120cm	blade replacement

Rubber Squeegee(Double Soft Neopren Rubber)

Double flyer



Item No.	Size	Remark
85524	size 24inch (60cm)	
85522	size 22inch (55cm)	

Tools Kit for Epoxy Self Leveling Flooring



Hy01	D290 spiked shoes x 1 D806B spiked roller x 1 82903 notched squeegee x 1 82903A blade x 1 82905A blade x 1 42102 Pole x 1
------	--

Epoxy Roller-Solvent Resistant

Medium pile, polyacrylic, solvent resistant, lint free, for smooth surface, resin coating.



Item No.	Size	Remark
7138A	7in x13mm	
9138A	9in x13mm	
9138AYC	9in x13mm	edge trimming
18138M	18in x13mm	roller sleeve only
20138M	20" x13mm	roller sleeve only
20138	20" x13mm	with roller frame (1109)

Epoxy Roller-Solvent Resistant

Sheepskin, lint free, solvent resistant



Item No.	Size	Remark
90488A	9in x 5mm	
18488A	18" x 5mm	pile 5mm, sleeve only
18488	18" x 5mm	roller sleeve only
G958A	9in	with roller frame (1109) roller frame only
9093AY	9in x 9mm	with roller frame G958A
9093AYc:	9in x 9mm roller sleeve	
18093	18" x 9mm roller sleeve, w/ end cap	
18093M	18" x 9mm roller sleeve, w/o end cap	

Paint Roller Sleeve



9063AY	9in x 6mm(1/4")	with roller frame G958A
6063AYc:	6in x pile 6mm(1/4")	
9063AYc:	9in x 6mm(1/4")	
20063M	20in x pile 6mm (1/4") w/o end cap	
18063M	18in x pile 6mm (1/4") w/o end cap	

Epoxy Mini Roller Sleeve



2138X	2" x 13mm
3138X	3" x 1mm
4138X	4" x 14mm
6138X	6" x 2mm

Roller Frame



G002	2"
G003	3"
G005	4"
G008	6"

T Bar Paint Roller



Item No.	Size	Remark
95118	18in	

T Bar Paint Roller



96109	9in, nylon pad
-------	----------------



L1111	300-550mm	aluminum, with end cap, Push in
-------	-----------	---------------------------------

Roller Frame

Plastic, thread handle adaptor, light weight



Item No.
L1112

Size
18"

Remark
with end cap

L1113

18"

Suitable for 18" epoxy
roller&spiked roller

L1116

adjustable to 18inches

Extendable Adjustawble
Aluminum Alloy Roller frame
Stand

Rolling Paint Tray



T1816

18 inch with rolley

for Paint Roller 18inches



T2064

20inch paint tray

Rolling Paint

Epoxy Roller-High Density

solvent resistant, lint free, for smooth surface, resin coating.



Item No.
9103C1
9093AYC
90586A
G958A

Size
9in
9in
9in
9in

Remark
Pile 12mm sleeve only
Pile 9mm sleeve only
Pile 5mm sleeve only
roller frame only

Texture Polyester Roller

Looped Polyester Paint Roller Creates Decorative Texture



Item No.
93109
93109A

Size
9in
9in

Remark
PVC pile, dia 65mm
Sleeve only

New

Loop Roller

Loop Roller for thin coatings, when the spike rollers are no longer effective the roller is ideal for levelling and smoothing



Item No.
93209
93209A
93218

Size
9in
9in
18in

Remark
PVC pile, dia 65mm
Sleeve only
Sleeve

Spring pipe brush tool arc roller



93316-1
93316-2
93316-3
93316-4

Size
9 wheels+spring brush holder (excluding rod)
9 replacement wheels
18 replacement wheels
27 replacement wheels

Remark

3 wheel Pipes Painting Brush



Item No.
93401

Size
3 wheels+1 handle

Remark

Painted Corner Edge Flat Paint Brush



Item No.	Size	Remark
93501	1 brush head+1 short handle	(for female corner)
93502	2 brush heads+1 short handle	(for external corner/round tube)

Color Tile Roller Brush




Item No.	Size	Remark
93601		

Sponge Paint Roller




Item No.	Size	Remark
93701A	Single brush head	
93701	Brush head+20cm short handle	
93702	Brush head+26cm middle handle	
93703	Brush head+41cm long handle	

Wall Renovated Paste



Item No.	Size	Remark
93801		

20 Inch 50 Cm Roller Brush Paper Box



Item No.	Size	Remark
93901	20"	



Item No.	Size	Remark
94001	9" double roller	



Item No.	Size	Remark
94101	9-inch floor paint orange peel patterned polyester roller	



Item No.	Size	Remark
94209	9-inch elastic white wool perforated wool sleeve	

Coarse Textured Roller

Use with texture paints and additives.Double side arm frame.



Item No.	Size	Remark
100C	20in	Coarse

Steel Extension Pole

Steel extension poles as the handle for painting tools and cleaning tools. Economic pattern telescopic pole in different sizes and folds. thread and universal adaptor



Item No.	Size
42001	2 sections 1.1-2.0m
42002	3 sections, 0.87-2.0m

Aluminum Extension Pole

Lightweight and durable pole anodized aluminum construction is built strong to last. thread and universal adaptor



Item No.	Size
42101	2 sections 1.1-2.0m
42102	4 sections, 0.7-2.0m

Aluminum Extension Pole

Lightweight and durable pole anodized aluminum construction is built strong to last. thread and universal adaptor



Item No.	Size
42201	2 sections 0.7-1.5m
42202	3 sections, 0.87-2.0m
42203	3 sections, 1.16-3m

Mixing Paddle

Suitable for mixing and stirring epoxy resins, two-component materials, plastics




Item No.	Size	Remark
40101	60 x 400mm	.
40102	80 x 400mm	.
40103	100x 600mm	.

Epoxy Mixer


Suitable for mixing and stirring epoxy resins, two-component materials, plastics



Item No.	Size	Remark
40201	1 gallon	66*280MM, hex 6mm
40202	5 gallon	80*465MM,hex 8mm
40203	round	



40211	45*220mm
40212	45*400mm
40213	75*400mm



40221



600x dia 100 x hex dia 9mm

40401



40501


Sausage Caulking Gun

This durable aluminium alloy sausage gun speicallly fit for silicone, gap filler, adhesive cartridges and sausages.




Item No.	Size
41101	9in
41102	12in
41103	16in

Covel Trowels



Item No.	Size	Remark
96301	radius degree 15,	size 15x21
96302	radius degree 30,	size 15cmx23cm
96303	radius degree 50,	size 15cmx15cm




96307	radius 20mm
96308	radius 9mm



Item No.	Size	Remark
96401	radius degree 15,	size 15x21
96402	radius degree 30,	size 15cmx23cm
96403	radius degree 50,	size 15cmx15cm
96404	radius degree 60,	

Round Trowel



96501	251x218mm	half round
96502	251x170mm	half round



96503	251x218mm	half round
96504	251x170mm	half round


Concave tapered trowels

with 30 mm radius, Stainless steel blade, approx. 1.0 mm ~3/64 inch



96306-2
New


Length x Height x Width	120(160)x200x80mm, skirting width 10mm, radius 30 mm
-------------------------	---



96306-3

New


Length x Height x Width 120(150)x200x80mm, radius



96306-4

New

Length x Height x Width 120(150)x200x115mm, radius 30 mm



96306-5

New

120(150)x200x80mm, radius

Finishing Trowel

For floor coating spreading.



Item No.

90401

90402

90403

Size

270x120mm

500x120mm

600x95mm



90502

355x100mm

with soft grip

90503

405x100mm

with soft grip



90801

355x100mm

with soft grip

90802

405x100mm

with soft grip

90803

500x100mm

with soft grip

Flexible finish Trowel



90701

310x100mm

with soft grip

90702

350x115mm

with soft grip

90703

405x100mm

with soft grip

90704


500x100mm

with soft grip



90901	350x100mm
90902	400x100mm
90903	500x100mm
90904	600x100mm


Flat Trowel



D99	300x95 x0.3mm	flat edge
D99A	300x95x0.3mm	flat edge,round front
D2007	216x 89 x80x0.3mm	
D2007Z	180 x 80 x 65 x0.3mm	
D2007x	150x70 x54 x0.3 mm	

Notched Trowel

For epoxy floor coating spreading.



Item No.	Size	Remark
D991	300x95mm	V tooth=1mm
D992	300x95mm	V tooth=2mm
D993	300x95mm	V tooth=3mm

Stainless Steel Deco Trowel


For epoxy floor coating spreading. Rond corner



Item No.	Size	Remark
D2080AS	stainless steel, 20x8cm	
D2140AS	stainless steel,24 x 8.1 cm	

Swimming Pool Trowel

Round on both ends. Blade is flexible enough to work any radius.



Item No.	Size	Remark
8252	305x102mm	with soft grip
8105	356x102mm	with soft grip
8106	406x102mm	with soft grip
8251	457x102mm	with soft grip



8109	305 x 89mm	wooden handle
------	------------	---------------



8259	356x102mm	One Round, one square end
8260	406x102mm	One Round, one square end



8131	450x120mm	
8132	500x120mm	
8135	550x120mm	
8136	450x130mm	
8137	550x130mm	
8138	500x90mm	
8139	600x90mm	
8129	700x90mm	
8128	800x90mm	

Level pin legs



12001-1
12001-2

8cm
10cm

color printing
concave lining

Injector of Epoxy



12002

lower pressure injection



12003

Screed Box



31201

machine for material weight around 50kgs

Pu Trowel



Item No.	Size	Remark
91201-1	140 x 280mm, 175g	
91201-2	140 x 280mm, 227g	
91202	120x190mm	.
91203	110x280mm	.
91204	120x240mm	.
91205	140x400mm	.
91206	150x350mm	.
91207	180 x 320mm, 210g	.
91208	220x420mm	.
91209	240x480mm	.
91210	280x500mm	.

PU Trowel Beveled



Item No.	Size	Remark
91301	135-70 x320mm	.
91302	180-80 x350mm	.

Finsh Fresno Trowel

Round on both ends. Blade is flexible enough to work any radius.



Item No.	Size
8115	900x120mm

Step Trowels

Trowel for steps corners.



Item No.	Size	Remark
8401	152x152x102mm	R:3.18mm, outside
8402	152x152x102mm	R:3.18mm, inside

Corner Trowels

Used for accurate corner finishing when plastering.



Item No.	Size	Remark
96101A	100x50x50mm	90 degree,outside
96101B	100x50x50mm	90 degree,inside

Concrete Edgers


Used to produce a radius at the edge of a concrete slab to prevent the edge from chipping.



Item No.	Size	Remark
95001	6x3inch	curved end

Stainless Steel Concrete Edgers

Used to produce a radius at the edge of a concrete slab to prevent the edge from chipping.




Item No.	Size	Remark
95002-1	6x3in,3/8" Lip,1/4" Radius	Straight end, blade 1.2mm
95002-2	10 x 4in,3/8" Lip,1/4" Radius	Straight end,blade 1.2mm

Cast Aluminum Concrete Edgers



Item No.	Size	Remark
95003	6x3inch	Curved end

Cast Aluminum Concrete Edgers



Item No.	Size	Remark
95004	120X 45mm	Curved end


Concrete Groover

Properly shaped bit and leading edge cuts a sharp groove and finishes clean.


	Item No.	Size	Remark
	95201	6x3inch	1/4" radius,3/8"width,3/4"depth

Concrete Groover

Cast Iron. Properly shaped bit and leading edge cuts a sharp groove and finishes clean.

		Item No.	Size	Remark
		95202	6x3inch	1 groove
		Item No.	Size	Remark
		95203	6x3inch	6 groove
		Item No.	Size	Remark
		95204	6x3inch	1 groove

Concrete Vee Jointer

	95301	150*150mm, 12mm Depth
	95302	150*150mm -20mm Depth

Fresno Round End Trowel

	S=square,R=round	
	82505-20S/R	120*500mm
	82505-24S/R	120*600mm
	82505-32S/R	120*800mm
	82505-40S/R	120*1000mm
	82505-48S/R	120*1200mm
	82507-32S/R	180*800mm
	82507-40S/R	180*1000mm
	82507-48S/R	180*1200mm

Floor Scraper

		D1180	Size 100mm(4in)	
		D1180A	blade replacement	

Heavy Duty Floor Scraper

Cleans excess plaster and adhesives from concrete, heavy duty one, with robust telescopic fiberglass handle.

		Item No. 83612	Size 12in x 6in	Remark with pole
		83612-1	12in x 6in	without pole

Drywall floor scraper

	83613	12in x 6in	with fiberglass pole
---	-------	------------	----------------------

Floor Scraper

	Item No. 83614	Size 7in	Remark with pole
---	-------------------	-------------	---------------------

Two Head Floor Scraper

	Item No. 83615	Size 7in	Remark with pole
--	-------------------	-------------	---------------------

	Item No. 83616-1	Size 6in/150mm	Remark with pole
	83616-2	12in/300mm	with pole

Concrete Roller Mesh Tamp 36" Double Roller

Ideal for embedding exposed aggregateQuickly levels slab and prepares it for final finishDual adaptor allows use with any clip and threaded handles



88148 36" Twin roller, with poles

Concrete Placer

Made of strong lightweight aluminum. Heavy-duty aluminum braces for added strength.



D501 508mmX102mmX1530mm

Bum
Wc

um
sd concrete. Magnesium alloy is lightweight and durable.
with pole and knucle whoist adaptor, round end



Item No.	Size	
87536	36in x 8in	with pole 1.8m x3pcs, Swivel connection
87548	48in x 8in	with pole 1.8m x3pcs, Swivel connection
87560	60in x 8in	
87572	72in x 8in	with two-arm support
87596	96in x 8in	with two-arm support
875120	120in x 8in	with two-arm support

Electric shock leveling ruler



86960	1.0m	
86960-1	1.1m	
86960-2	1.2m	
86960-5	1.5m	
86960- 8	1.8m	
86960-20	2.0m	Two electrics and one charge

Twist connection



875A Twist connection

Fresno Trowel

Ideal for smooth concrete surface. Round ends prevent edging. High-carbon tempered-polished spring-steel construction.



Item No.	Size	
87048	48in x 5in	with pole 1.8m x3pcs, Swivel connection

Big Finish Trowel Float



87148	48in x 12in	with pole 1.8m x3pcs, Swivel connection
-------	-------------	---

Magnesium Straight Edge



872120-1	120in, vertical	with pole 1.8m x3pcs, Swivel connection
872120-2	120in, flat	with pole 1.8m x3pcs, Swivel connection

Easy screed Level

Dual-edge design allows the lightweight, aluminum bar to be used for screeding concrete, or as a float or check rod



87603-1	100cm
87603-2	120cm
87603-3	150cm
87603-4	180cm
87603-5	200cm

Concrete Flat Wire Broom

Specially designed with durable steel tines to create uniform grooves in concrete roadways, bridges, and ramps for added water


drainage and traction



Item No.	Size
84548	48in

U Shape Crack Asphalt Squeegee-

Sillicone blade for high temperature resistant.



17006	45cm
-------	------

Crack Asphalt Squeegee-

Sillicone blade for high temperature resistant.



17007

V Crack Asphalt Squeegee-

Sillicone blade for high temperature resistant.



17008

Asphalt Shoes

New

Walk on fresh asphalt without leaving the prints



Item No.	Size	Remark
D285	350x250mm	Plywood sole, steel heel, adjustable


Propane Torch Burner

Portable heating torch is perfect used for Roof Asphalt




17201	stainless steel
17202	titanium alloy

Aluminium Hawk




87401	300 x 300 x 2mm, handle 130mm
87402	330 x 330 x 2mm, handle 130mm
87403	350 x 30 x 2mm, handle 130mm

Tape Knife



87204	4"
87206	6"
87208	8"
87210	10"
87212	12"
87214	14"
87216	16"
87218	18"
87220	20"
87224	24"

Tape Knife



87306	6"
87308	8"
87310	10"
87312	12"
87314	14"
87320	20"

Plastic Joint Compound Mud Pan

Heavy duty plastic mud pan with molded edges for wiping blades clean.



87901	14inch, with metal slide
-------	--------------------------

Joint Compound Mud Pan -Steel

Mud pans are generally rather long in length with sharp edges, used to hold drywall compound



87902	14inch, with metal slide
-------	--------------------------

Concrete Stamped Texture Roller



Item No.	Size
87505	400 x140mm, 15kgs,height 8mm, distance: 80mm
8750502	400 x140mm, 50kgs

Magnesium Float

Good tool to use with air-entrained concrete, assist the user in preparing the surface for troweling.



Item No.	Size
90601	400x80mm

Stamped Concrete

A must on every stamping job to finish grout lines on the edges where the stamping mats cannot reach.



Item No.	Size
90602	curbing

Texture Roller for Stamped Concrete

A must on every stamping job to finish grout lines on the edges where the stamping mats cannot reach.



Item No.	Size
EG726T	
2205TS	
2206TS	

Burnisher Pads



12017-1	17" natura fiber
12017-2	17" heavy hair blended fiber
12020-1	20" natura fiber
12020-2	20" heavy hair blended fiber
12027	high speed buff pads
12027-1	27" natura fiber
12027-2	27" heavy hair blended fiber

Diamond Grinding Shoes



1151P	2pcs segment	Premium
1151A	2pcs segment	Classic
1151B	2pcs segment	Economic

Trapezoid Diamond Grinding Shoes




18001	2*1/4PCD+1TCT
-------	---------------

Diamond Grinding Resin Pad



18104	dia 78mm x thickness 10mm
-------	---------------------------

Flexible pad



18204

Diamond Grinding Turbo



18304-1
18304-2

4inch, hole 20mm, 50#
4inch, hole 20mm, 100#

Turbo diamond cup wheel



18445
18407

115*22.23mm
175*22.23mm

double raw concrete cup wheel



18545

115*22.23mm

Scarifier Cutter Flails

Tunsten carbide scarifier cutter in pin style for toughest asphalt and concrete removal projects.Different sizes for choice.



Item No.	No. of Tips	Size
1001A	5tips	43 (OD)x6x16 (ID)mm
1002A	6tips	47 (OD)x6x15.5(ID)mm
	6tips	57 (OD)x6x17 (ID)mm
1002C	6tips	56.6(OD)x6x26 (ID)mm
1003A	8tips	35.5(OD)x6x12 (ID)mm
1003B	8tips	58 (OD)x6x17.6(ID)mm
1003C	8tips	60 (OD)x6x20 (ID)mm
1003D	8tips	68 (OD)x6x26 (ID)mm
1003E	8tips	82 (OD)x8x30 (ID)mm
1004A	12tips	80 (OD)x8x26 (ID)mm
1004B	12tips	80 (OD)x8x30 (ID)mm

Full Width Carbide Cutter

Cutter with beam tungsten carbide for toughest asphalt and concrete removal projects when best surface finish demand.



Item No.	Tips	Size
1005A	6tips	47 (OD)x6x15.5(ID)mm
1006A	8tips	60 (OD)x6x20 (ID)mm
1006B	8tips	82 (OD)x10x30 (ID)mm
1007A	16tips	82 (OD)x8x26.5(ID)mm
1007B	16tips	82 (OD)x10x30 (ID)mm

Tungsten Carbide Mill Cutter

Mill cutter is to remove cold plastics, thermoplastics, preform tapes, epoxy and paint on concrete or asphalt surfaces.



Item No.	Tips	Size
1008A	6 edges	55(OD)x19x18(ID)mm
1008A-1	6 edges	55(OD)x19x18(ID)mm
1008B	6 edges	80(OD)x19x30(ID)mm

Scarifier Metal Spacer

Cutter with beam tungsten carbide for toughest asphalt and concrete removal projects when best surface finish demand.



Item No.	Size
2001	28 (OD)*15(ID)*2.5mm
2002	35 (OD)*18(ID)*2.5mm
2003	37 (OD)*21(ID)*2.5mm

Scarifier shaft

Cutter with beam tungsten carbide for toughest asphalt and concrete removal projects when best surface finish demand.



Item No.	Size
3001	Φ 13 x length 165 mm
3002	Φ 16mm x length 276mm
3003	Φ 22mm x length 315 mm
3004	S01 Φ 12mm x length 270mm
3005	S02 Φ 20mm x length 360mm

Dust Shroud Metal

Fit for Metabao, Milwaukee,Dewalt,Makita



G1014	dia 4"
G1015	dia 5"
G1017	dia 7"

Dust Shroud Metal

Fit for Metabao, Milwaukee,Dewalt,Makita



Item No.
R1017

Size
dia 7"

Dust Shroud Transparent

Fit for Metabao, Milwaukee,Dewalt,Makita



Item No.
G100

Size
dia 4" transparent

1 Heads Grinder

Fit for concrete, granite, stone etc



Item No.
M100

Size
dia 4"/ 100mm 220V(G100)

3 Heads Grinder

Fit for concrete, granite, stone etc



Item No.
M103

Size
dia 4" x3 220V

Paint brush, wood handle



S25	W=1"(25mm)
S35	W=1.5"
S45	W=2"(45mm)
S55	W=2.2"(55mm)
S65	W=2.5 (64mm)
S75	W=3"(76mm)
S100	W=4"
S125	W=5"(125mm)



S001-2	2", made made bristle
S001-3	3" made made bristle
S001-4	4" made made bristle
S001-5	5" made made bristle
S001-6	6" made made bristle

S002-2	2", 30% bristle, 70% man made
S002-3	3", 30% bristle, 70% man made
S002-4	4", 30% bristle, 70% man made
S002-5	4", 30% bristle, 71% man made
S002-6	4", 30% bristle, 72% man made

Brush Holder



201B

Brush holder, rotatable

Knee Pads



Item No.	Size
D021	PVC shell for waterproof, air injected gel foam, oxford fabrics,two straps secure work.



D063	Rubber one
------	------------



Item No.	Size
D066	EVA pattern



Item No.	Size
D064t	gel pattern

Rolling Knee Pads



D065 2pcs/pair

Rolling Knee Pads



D065-2 2pcs/pair can be dissembled

Rolling Knee Pads



D065-3 2pcs/pair non-dissembled

Kneeler Board

Kneeler Board offers extra-comfortable support for knees. It features extra large handle grips and a black foam pad that is securely fastened to large polypropylene tray.



D022 490x350x50mm

Lying board



D023 918 x 428x 94mm max shoulder 95kgs

Activated Carbon Masks

Non-woven materials,activated carbon masks.



Item No. Description

50301 without valve .
50302 with valve .

50401 KN95

Industrial Dual Cartridge Respirator

Double cartridge respirator safety dust paint filter mask for protection in industrial work,for filtering small dusts, mists, metallic fumes, spray paint, chemicals and small flying particles of low toxicity



Item No. Description Remark

50602 dual
5001A filter replacement cotton filtr
cotton filter

Industrial Single Cartridge Respirator



50601	single	cotton filtr
5001A	filer replacement	cotton filter

Safety Glasses

Made from polycarbonate, anti-fog/anti-shock/anti-scratch/UV protection.



Item No.	Description .
522	standard

Ear Muff

Lightweight headband earmuff low to medium noise protection,soft cushions, comfortable surface pressure.



Item No.	Size	Remark
531	standard	adjustable band

Plastic Cup



Item No.	Size	Remark
54101	1 liter	without cap
54101C	1 liter	with cap

Sieka Deng-Direct Market
WhatsApp B.E.A.



Wechat



Direct Market Co., Ltd

Tel: +8613787209092, +8613723888431, +8618173135020

Email: info@spikedroller.com/siekabin@gmail.com

Web: www.spikedroller.com

Add: Longxishunjin Glg 1-105,Jianshou Road,
Liuyang Industrial Park, Changsha,Huanan,
China 410300